

INDUSTRIAL & SPECIALIST HOSE

Fuel Delivery & Dispensing Hose

Vehicle, plant and bulk fuel transfer applications.

NBR oil/fuel suction-delivery hose, 12 bar series

configuration	Inside diameter (mm)	Outside diameter (mm)	Working pressure (bar)	Burst pressure (bar)	Mass (kg/m)	Roll length (m)
NBR oil/fuel suction-delivery hose,12bar series	25	36	12	36	0.806	30
NBR oil/fuel suction-delivery hose,12bar series	32	43	12	36	1.026	30
NBR oil/fuel suction-delivery hose,12bar series	38	50	12	36	1.315	30
NBR oil/fuel suction-delivery hose,12bar series	50	63	12	36	1.496	30
NBR oil/fuel suction-delivery hose,12bar series	63	78	12	36	1.86	30
NBR oil/fuel suction-delivery hose,12bar series	76	91	12	36	3.287	30
NBR oil/fuel suction-delivery hose,12bar series	100	118	12	36	4.946	30
NBR oil/fuel suction-delivery hose,12bar series	150	170	12	36	9.5	20

NBR oil/fuel suction-delivery hose, 12 bar series Dimensions and ratings apply to the named construction or exact code shown. Select pressure, temperature, medium and end fittings together for the finished assembly.

NBR oil/fuel suction-delivery hose, 12 bar series - construction & conditions

Parameter	Specification
Tube	NBR
Reinforcement	Synthetic fabric and embedded steel helix

NBR oil/fuel suction-delivery hose, 12 bar series - construction & conditions

Parameter	Specification
Cover	NBR/SBR
Temperature range c	-20 / 80
Safety factor	3
Vacuum rating	Not stated
Material compatibility	names fuel,oil anddiesel; exact product compatibility required

NBR oil/fuel suction-delivery hose, 12 bar series Dimensions and ratings apply to the named construction or exact code shown. Select pressure, temperature, medium and end fittings together for the finished assembly.

NBR fuel/oil hose, 20 bar series

configuration	Inside diameter (mm)	Outside diameter (mm)	Working pressure (bar)	Burst pressure (bar)	Mass (kg/m)	Roll length (m)
NBR fuel/oil hose,20bar series	5	12	20	60	0.128	50
NBR fuel/oil hose,20bar series	6	13.3	20	60	0.158	50
NBR fuel/oil hose,20bar series	8	15	20	60	0.184	50
NBR fuel/oil hose,20bar series	10	16.5	20	60	0.202	50
NBR fuel/oil hose,20bar series	12	20	20	60	0.265	50
NBR fuel/oil hose,20bar series	16	24	20	60	0.354	50
NBR fuel/oil hose,20bar series	20	29	20	60	0.525	50

NBR fuel/oil hose, 20 bar series Dimensions and ratings apply to the named construction or exact code shown. Select pressure, temperature, medium and end fittings together for the finished assembly.

NBR fuel/oil hose, 20 bar series - construction & conditions

Parameter	Specification
Tube	NBR
Reinforcement	Synthetic textile yarn
Cover	NBR/SBR

NBR fuel/oil hose, 20 bar series - construction & conditions

Parameter	Specification
Temperature range c	-40 / 100
Safety factor	3

NBR fuel/oil hose, 20 bar series Dimensions and ratings apply to the named construction or exact code shown. Select pressure, temperature, medium and end fittings together for the finished assembly.

NBR oil/fuel suction-delivery hose, 12 bar series

Parameter	Specification
Configurations	NBR oil/fuel suction-delivery hose, 12 bar series / NBR fuel/oil hose, 20 bar series - Only the named construction; other codes or constructions require their own specification.

NBR oil/fuel suction-delivery hose, 12 bar series Dimensions and ratings apply to the named construction or exact code shown. Select pressure, temperature, medium and end fittings together for the finished assembly.

Application & quotation checklist

Medium and concentration; Inside diameter and length; Pressure or vacuum and temperature; End connections and electrical requirements

Request a quotation

admin@africanhosesolutions.co.za | 010 065 3872

Provide the part code, size, quantity, required configuration and application. Include a drawing or photograph where available.

Ratings apply only to the specified product and configuration. Confirm fluid compatibility, temperature, pressure transients, installation and complete assembly suitability. Ordering references do not establish interchangeability.